GammaFast delivery



Swivel task chair with high backrest. Black plastic finish.

12 mm-thick beech plywood **seat**, nylon **backrest** with CFC-free polyurethane foam padding. Polypropylene under-seat shell and back cover. Nylon **armrests** - fixed or 1D-adjustable (height). There are 2 adjustment **mechanisms**:

- permanent contact device;
- synchronized seat/backrest mechanism with 3-position adjustment, with backrest tension adjustment according to user weight and lock/ unlock backrest release system.

Manual backrest height adjustment (40 mm) combined with permanent contact device.

Backrest height adjustment with "Up-down" system (70 mm) combined with synchronized mechanism.

Gas lift seat height adjustment.

5-star black nylon base.

Rubber dual-tread self-locking castors (Ø 50 mm). Gamma Fast Delivery is available only with black (B033) or grey (B010) Bondai seat cover.

Certifications

- It complies with Legislative Decree no. 81 of 09-04-2008
- EN 1335 type "B" (with synchronized device)
- Class 1 IM approval by the Italian Ministry of the Interior (with upholstery in Trevira CS and Skill)

Fittings

Device







Synchronized with 3-position adjustment



Height adjustable backrest (40 mm for permanent contact)



Design: R&S Emmegi

Height adjustable backrest (70 mm for synchronized)

Armrests



Fixed



Height adjustable (70 mm)

5-spoke base



Black nylon

Upholstery

Class B - Bondai

Fire resistance







B033

B010

Dimensions





Gamma Fast delivery

Dimensions	Details / Box	Code	Class €
	Permanent contact device Gas lift Nylon 5-spoke base Without armrests	4J97700S	B033 B010
	KG. 10,0 M³. 0,19 (Product to assemble) MTL. 0,75-1,4		
	Synchronized device with 3-position adjustment Gas lift Nylon 5-spoke base Without armrests	4J97100S	B033 B010
	KG. 12,5 M³. 0,19 (Product to assemble) MTL. 0,75-1,4		
	Pair of fixed armrests	30BBF1N0	
	KG. 1,9 M³. 0,03		
	Pair of height adjustable armrests	30BBR1N0	
	KG. 1,9 M³. 0,03		

Gamma Fittings Design: R&S Emmegi



Swivel task chair with high backrest.
Grey (RAL 7035) or black plastic finish.
12 mm-thick beech plywood seat, nylon backrest with CFC-free polyurethane foam padding.
Polypropylene under-seat shell and back cover.
Fixed, soft touch nylon armrests, 1D-adjustable (height) or 2D-adjustable (height, depth) with soft touch.

Gamma Grey chairs can be fitted with grey 1D-adjustable (height) armrests only.

There are 2 adjustment mechanisms:

- permanent contact device;
- synchronized seat/backrest mechanism adjustable in 3 positions, with backrest tension adjustment according to user weight and lock/unlock backrest release system; the same mechanism is available with seat depth adjustment.

Manual backrest height adjustment (40 mm) combined with permanent contact device.

Backrest height adjustment with "Up-down" system (70 mm) combined with synchronized mechanism.

Gas lift **seat height adjustment**. 5-star nylon or aluminium **base**.

Rubber dual-tread self-locking castors (Ø 50 mm).

Certifications

- It complies with Legislative Decree no. 81 of 09-04-2008
- EN 1335 type "A and B" (with synchronized device)
- Class 1 IM approval by the Italian Ministry of the Interior (with upholstery in Trevira CS and Skill)

Permanent contact

Device



Synchronized with 3-position adjustment



Synchronized with 3-position adjustment with seat depth adjustment



Height adjustable backrest (40 mm for permanent contact)



Height adjustable backrest (70 mm for synchronized)

Gamma 01 Black

Armrests



Fixed



Height adjustable (70 mm)



2D adjustable (height 90 mm, depth 40 mm)

Gamma 01 Grey

Armrest



Height adjustable (70 mm)

5-spoke base



Black nylon



Polished aluminium

5-spoke base



Grey nylon



Polished aluminium

Upholstery

Class	Туре
В	™ Bondai
Н	∾ Mia
S	⇔ Skill
D	Ning Flex
F	♣ Jet ♣ Step ♣ Step Melange ♣ Laser J ♣ Repetto

* Fire resistance

Gamma Black

Dimensions	Details / Box	Code	Class	€
61 43 95 84 95 85 84 95 85 85 85 84 95 85 85 85 85 85 85 85 85 85 85 85 85 85	Permanent contact device Gas lift Nylon 5-spoke base Without armrests	4J977001	B D/H F/S	
35 St.	KG. 13,0 M³. 0,19 (Product to assemble) MTL. 0,75-1,4			
62 61 43	Permanent contact device Gas lift Nylon 5-spoke base Fixed armrests	4J987001	B D/H F/S	
97-79 1000	KG. 14,0 M³. 0,19 (Product to assemble) MTL. 0,75-1,4			
66 47 43	Permanent contact device Gas lift Nylon 5-spoke base Height adjustable armrests	4J9R7001	B D/H F/S	
35 35 4 3 4 3 4 5 5 5 6 5 6 5 6 6 6 6 6 6 6 6 6 6 6 6	KG. 14,0 M³. 0,19 (Product to assemble) MTL. 0,75-1,4			
66 61 43 43 92 92 92 92 92 92 92 92 92 92 92 92 92	Permanent contact device Gas lift Nylon 5-spoke base 2D adjustable armrests	4J9K7001	B D/H F/S	
3555	KG. 16,0 M³. 0,19 (Product to assemble) MTL. 0,75-1,4			

EXTRA CHARGE:

Polished aluminium base

4J _ _ _ _ 1 _

Gamma Black

Dimensions	Details / Box	Code	Class	€
61 43 43 43 43 43 43 43 43 43 43 43 43 43	Synchronized device with 3-position adjustment Gas lift Nylon 5-spoke base Without armrests	4J971001	B D/H F/S	
35	KG. 15,0 M³. 0,19 (Product to assemble) MTL. 0,75-1,4			
62 47 61 43 43 43 43 43 43 43 43 43 43 43 43 43	Synchronized device with 3-position adjustment Gas lift Nylon 5-spoke base Fixed armrests	4J981001	B D/H F/S	
35	KG. 16,0 M³. 0,19 (Product to assemble) MTL. 0,75-1,4			
66 61 43 43 43 43 43 43 43 43 43 43 43 43 43	Synchronized device with 3-position adjustment Gas lift Nylon 5-spoke base Height adjustable armrests	4J9R1001	B D/H F/S	
35 E	KG. 16,0 M³. 0,19 (Product to assemble) MTL. 0,75-1,4			
66 61 43 92 55 55 55 55 55 55 55 55 55 55 55 55 55	Synchronized device with 3-position adjustment Gas lift Nylon 5-spoke base 2D adjustable armrests	4J9K1001	B D/H F/S	
35	KG. 18,0 M³. 0,19 (Product to assemble) MTL. 0,75-1,4			

EXTRA CHARGE:

Synchronized device with 3-position adjustment with seat depth adjustmen (extra cost not applicable for chair with permanent contact)

4J _ _ 2 _ _ _

Polished aluminium base

4J _ _ _ _ 1 _

Class 1 IM (with upholstery in Trevira CS and Skill)

Gamma Grey

EXTRA CHARGE:

Polished aluminium base 4J _ _ _ _ 1 _

(with upholstery in Trevira CS and Skill)

Class 1 IM

Dimensions	Details / Box	Code	Class	€
61 47 43 43 59 80 12 60 12 60 12 60 13 13 13 13 13 13 13 13 13 13 13 13 13	Permanent contact device Gas lift Nylon 5-spoke base Without armrests	4J977101	B D/H F/S	
	KG. 13,0 M³. 0,19 (Product to assemble) MTL. 0,75-1,4			
66 47 43 43 43 43 43 43 43 43 43 43 43 43 43	Permanent contact device Gas lift Nylon 5-spoke base Height adjustable armrests	4J9R7101	B D/H F/S	
	KG. 14,0 M³. 0,19 (Product to assemble) MTL. 0,75-1,4			
61 43 43 43 43 43 43 43	Synchronized device with 3-position adjustment Gas lift Nylon 5-spoke base Without armrests	4J971101	B D/H F/S	
35	KG. 15,0 M³. 0,19 (Product to assemble) MTL. 0,75-1,4			
66 61 43 43 43 43 43 43 43 43 43 43 43 43 43	Synchronized device with 3-position adjustment Gas lift Nylon 5-spoke base Height adjustable armrests	4J9R1101	B D/H F/S	
	KG. 16,0 M³. 0,19 (Product to assemble) MTL. 0,75-1,4			

EXTRA CHARGE:

Synchronized device with 3-position adjustment with seat depth adjustment (extra cost not applicable for chair with permanent contact)

4J _ _ 2 _ _ _

Polished aluminium base

4J _ _ _ _ 1 _

Class 1 IM (with upholstery in Trevira CS and Skill)