Max **Fittings** Design: R&S Emmegi



Device







Height adjustable lumbar support (70 mm)

Armrests







Padded and upholstered

5-spoke base







Polished aluminium

A range of executive armchairs with high, medium or low backrest.

12m-thick beech plywood seat with CFC-free polyurethane foam padding.

Injected polyurethane foam backrest with steel insert

Height-adjustable sliding lumbar support (70 mm) available for high and medium backrests.

Die-cast aluminium armrests with upholstered arm pads in the same colour as the seat, or entirely upholstered armrests with polyurethane foam padding and steel insert.

Synchronized seat/backrest **mechanism** with 5-position adjustment, with side-mounted control to adjust backrest tension according to user weight and lock/unlock backrest release system.

Seat height adjustment by gas lift.

Auto-return system for swivel chair with 5-star base with glides.

Polished aluminium 5-star base with self-locking dual-tread rubber swivel castors (Ø 65 mm) or glides.

Upholstery

Class	Туре
Н	↔ Mia
S	↔ Skill
D	♦ King Flex
F	♦ Jet ♦ Step ♦ Step Melange ♦ Laser J ♠ Repetto
С	♦ Allroad
R	♦ Extrema Au
М	♦ Europost 2 ♦ Revive 2 ♦ Umami - Umami 3 ♦ Fame
I	Leather
P	♦ Leather
PX	♦ Grain leather

^{*} Fire resistance

Max

Dimensions	Details / Box	Code	Class €
36 53 64 64 64 65 67 68 69 69 69 69 69 69 69 69 69 69	High backrest Synchronized device with 5-position adjustment Height-adjustable lumbar support Gas lift 5-spoke base with castors Polished aluminium armrests with upholstered elbow-rests KG. 29,0 M³. 0,57 (Pre-assembled product) MTL. 2,0-1,4	4X994001	H S/D C/F M/R I P PX
36 63 63 64 64 64 65 64 64 65 65 66 67 68 68 68 68 68 68 68 68 68 68	Medium backrest Synchronized device with 5-position adjustment Height-adjustable lumbar support Gas lift 5-spoke base with castors Polished aluminium armrests with upholstered elbow-rests KG. 27,0 M³. 0,46 (Pre-assembled product) MTL. 1,8-1,4	4X894001	H S/D C/F M/R I P PX
36 63 63 64 64 64 64 64 65 64 64 64 65 65 66 67 68 68 68 68 68 68 68 68 68 68	Low backrest Synchronized device with 5-position adjustment Gas lift 5-spoke base with castors Polished aluminium armrests with upholstered elbow-rests KG. 23,0 M³. 0,35 (Pre-assembled product) MTL. 1,7-1,4	4X794001	H S/D C/F M/R I P PX
36 63 63 64 64 64 64 64 65 64 64 64 65 66 67 68 68 68 68 68 68 68 68 68 68	Low backrest Gas lift 5-spoke base with castors Polished aluminium armrests with upholstered elbow-rests KG. 22,0 M³. 0,35 (Pre-assembled product) MTL. 1,7-1,4	4X790001 / G	H S/D C/F M/R I P PX
63 67 46 46 36 36 36 36 36 36 36 36 36 36 36 36 36	Low backrest Swivel chair with automatic return system 5-spoke base with glides Polished aluminium armrests with upholstered elbow-rests KG. 22,0 M³. 0,35 (Pre-assembled product) MTL. 1,7-1,4	4X790010 / RA	H S/D C/F M/R I P PX

Max

Dimensions	Details / Box	Code	Class €
36 63 64 64 65 67 68 69 69 69 69 69 69 69 69 69 69	High backrest Synchronized device with 5-position adjustment Height-adjustable lumbar support Gas lift 5-spoke base with castors Padded and upholstered armrests KG. 30,0 M³. 0,57 (Pre-assembled product) MTL. 2,0-1,4	4X934001	H S/D C/F M/R I P
36 63 67 68 67 68 67 68 69 69 69 69 69 69 69 69 69 69	Medium backrest Synchronized device with 5-position adjustment Height-adjustable lumbar support Gas lift 5-spoke base with castors Padded and upholstered armrests KG. 28,0 M³. 0,46 (Pre-assembled product) MTL. 1,8-1,4	4X834001	H S/D C/F M/R I P
36 63 67 46 46 46 46 47 46 46 47 48 48 48 48 48 48 48 48 48 48	Low backrest Synchronized device with 5-position adjustment Gas lift 5-spoke base with castors Padded and upholstered armrests KG. 24,0 M³. 0,35 (Pre-assembled product) MTL. 1,7-1,4	4X734001	H S/D C/F M/R I P
36 63 63 64 67 46 46 46 46 46 46	Low backrest Gas lift 5-spoke base with castors Padded and upholstered armrests KG. 23,0 M³. 0,35 (Pre-assembled product) MTL. 1,7-1,4	4X730001 / G	H S/D C/F M/R I P
63 67 46 46 46 47 48 48 49 49	Low backrest Swivel chair with automatic return system 5-spoke base with glides Padded and upholstered armrests KG. 23,0 M³. 0,35 (Pre-assembled product) MTL. 1,7-1,4	4X730010 / RA	H S/D C/F M/R I P PX