

Poros Fast delivery



Task chair with medium backrest.
Black plastic finish.
Nylon **backrest**, covered with properly tensioned stretch polyester mesh, with adjustable lumbar support height (100 mm).
Beech plywood **seat**, anatomically shaped, CFC-free polyurethane foam padding, black polypropylene rear back cover.
Nylon seat/backrest connection.
Fixed nylon **armrests**, 1D adjustable (height).
Synchronized seat/backrest **mechanism** with 3-position adjustment, with backrest tension adjustment according to user weight and lock/unlock backrest release system.
Seat height adjustment with gas lift.
5-star black nylon **base**.
Self-locking dual-tread rubber swivel castors, Ø 50 mm, as standard.
Poros Fast Delivery is only available with Bondai black (B033) Bondai seat fabric and black Polo (6001) or grey (6002) mesh backrest.

Certifications

- It complies with Legislative Decree no. 81 of 09-04-2008
- EN 1335 type "B"

Fittings

Design: R&S Emmegi

Device



Synchronized with 3-position adjustment



Height adjustable lumbar support (100 mm)

Armrests



Fixed



Height adjustable (70 mm)

Seat/Back connection



Black nylon

5-spoke base



Black nylon

Seat upholstery

Class **B** - Bondai

Fire resistance



B033

Backrest mesh

Class **E** - Polo




6001






6002

Dimensions



Poros
Fast delivery

Dimensions	Details / Box	Code	Class	€
	Synchronized device with 3-position adjustment Gas lift Nylon 5-spoke base Without armrests	4U77100S - E6001 Backrest in black Polo mesh 4U77100S - E6002 Backrest in grey Polo mesh	B033	
	KG. 18,0 M³. 0,25 (Product to assemble) MTL. 0,8-1,4			
	Pair of fixed armrests	30BBF1N0		
	KG. 1,9 M³. 0,03			
	Pair of height adjustable armrests	30BBR1N0		
	KG. 1,9 M³. 0,03			

Poros



Task chair with medium backrest, with or without headrest. Black plastic finish.

Nylon **backrest** covered with properly tensioned stretch polyester mesh (Poros Mesh) or with Bondai fabric, laminated and thermoformed with custom print, in black or grey (Poros Light).

Height-adjustable lumbar support (100 mm).

Beech plywood **seat**, fixed, anatomically shaped, CFC-free polyurethane foam padding, black polypropylene rear back cover.

Nylon **seat** with built-in depth adjustment, padded with differentiated-density polyurethane foam.

Nylon or aluminium seat/backrest connection.

Fixed loop or T-shaped nylon **armrests**, 1D-adjustable (height) or 2D-adjustable (height, depth) with soft touch. There are 4 adjustment **mechanisms**:

For fixed seat:

- Synchronous seat/backrest mechanism adjustable in 3 positions, with backrest tension adjustment according to user weight; the same mechanism is available with seat depth adjustment.

For seats with integrated depth adjustment:

- synchronized seat/backrest mechanism with 4-position adjustment, with control to adjust backrest tension according to user weight;

- synchronized seat/backrest mechanism with 5-position adjustment, with side-mounted control to adjust backrest tension according to user weight;

All synchronized devices come with a lock/unlock backrest release device.

Seat height adjustment by gas lift.

5-star **base** in nylon or die-cast aluminium.

Self-locking dual-tread rubber swivel castors, Ø 50 mm, as standard.

Fittings

Design: R&S Emmegi

Device



Synchronized with 3-position adjustment



Synchronized with 3-position adjustment with seat depth adjustment



Synchronized with 4-position adjustment



Synchronized with 5-position adjustment



Depth adjustment for seat (6 cm)

Seat/Back connection



Height adjustable lumbar support (100 mm)



Black nylon



Polished aluminium

Armrests



Fixed



Height adjustable (70 mm)



Fixed



2D adjustable (height 90 mm, depth 40 mm)

5-spoke base



Black nylon



Polished aluminium

Headrest



Height and inclination adjustable

Poros Mesh

Backrest



Mesh

Poros Light

Seat and backrest



Bonded, thermoformed fabric Bondai

Certifications

- It complies with Legislative Decree no.

81 of 09-04-2008

- EN 1335 type "A"






Poros

Seat upholstery (Poros Mesh)

Class	Type
B	🔥 Bondai
H	🔥 Mia
S	🔥 Skill
D	🔥 King Flex
F	🔥 Jet 🔥 Step 🔥 Step Melange 🔥 Laser J 🔥 Repetto
Z	🔥 Rhythm

🔥 Fire resistance

Backrest mesh (Poros Mesh)

Class E - Polo
    
6001 6002 6008 6009 6010

Class N - Runner	🔥 Fire resistance				
					
R061	R065	R034	R089	R008	R056
					
R063	R040	R064	R025	R999	

Class Z - Rhythm

 Fire resistance



Y999 Y165 Y176 Y067 Y068 Y122






Y120 Y123 Y138 Y151

Upholstery (Poros Light)

Class B - Bondai	🔥 Fire resistance
	
B033	B010

Poros
Mesh

Dimensions	Details / Box	Code	Class
	Synchronized device with 3-position adjustment Gas lift Nylon 5-spoke base Without armrests	4U771001 - E Backrest in Polo mesh	B H/D/S F
		4U771001 - N Backrest in Runner mesh	B H/D/S F
		4U771001 - Z Backrest in Rhythm mesh	B H/D/S F/Z
	KG. 19,0 M³. 0,25 (Product to assemble) MTL. 0,8-1,4		
	Synchronized device with 3-position adjustment Gas lift Nylon 5-spoke base Fixed armrests	4U781001 - E Backrest in Polo mesh	B H/D/S F
		4U781001 - N Backrest in Runner mesh	B H/D/S F
		4U781001 - Z Backrest in Rhythm mesh	B H/D/S F/Z
	KG. 20,0 M³. 0,25 (Product to assemble) MTL. 0,8-1,4		
	Synchronized device with 3-position adjustment Gas lift Nylon 5-spoke base Height adjustable armrests	4U7R1001 - E Backrest in Polo mesh	B H/D/S F
		4U7R1001 - N Backrest in Runner mesh	B H/D/S F
		4U7R1001 - Z Backrest in Rhythm mesh	B H/D/S F/Z
	KG. 20,0 M³. 0,25 (Product to assemble) MTL. 0,8-1,4		

EXTRA CHARGE:





Synchronized device with 3-position
adjustment with seat depth adjustmen
4U _ _ 2 _ _ - E/N

Height and inclination adjustable
headrest
(Headrest to assemble)
4U P _ _ _ _ - E/N

Polished aluminium seat/back
connection
4U _ _ _ 4 _ _ - E/N

Polished aluminium base
4U _ _ _ _ 1 _ - E/N

Poros Mesh

Dimensions	Details / Box	Code	Class	€
	Synchronized device with 4-position adjustment Depth adjustment for seat Gas lift Nylon 5-spoke base Without armrests KG. 19,0 M³. 0,25 (Product to assemble) MTL. 0,8-1,4	4U77M301 - E Backrest in Polo mesh 4U77M301 - N Backrest in Runner mesh 4U77M301 - Z Backrest in Rhythm mesh	B H/D/S F B H/D/S F B H/D/S F/Z	
	Synchronized device with 4-position adjustment Depth adjustment for seat Gas lift Nylon 5-spoke base Height adjustable armrests KG. 20,0 M³. 0,25 (Product to assemble) MTL. 0,8-1,4	4U7RM301 - E Backrest in Polo mesh 4U7RM301 - N Backrest in Runner mesh 4U7RM301 - Z Backrest in Rhythm mesh	B H/D/S F B H/D/S F B H/D/S F/Z	
	Synchronized device with 4-position adjustment Depth adjustment for seat Gas lift Nylon 5-spoke base Fixed armrests KG. 22,0 M³. 0,25 (Product to assemble) MTL. 0,8-1,4	4U7YM301 - E Backrest in Polo mesh 4U7YM301 - N Backrest in Runner mesh 4U7YM301 - Z Backrest in Rhythm mesh	B H/D/S F B H/D/S F B H/D/S F/Z	
	Synchronized device with 4-position adjustment Depth adjustment for seat Gas lift Nylon 5-spoke base 2D adjustable armrests KG. 22,0 M³. 0,25 (Product to assemble) MTL. 0,8-1,4	4U7KM301 - E Backrest in Polo mesh 4U7KM301 - N Backrest in Runner mesh 4U7KM301 - Z Backrest in Rhythm mesh	B H/D/S F B H/D/S F B H/D/S F/Z	

EXTRA CHARGE:

Synchronized device with 5-position
adjustment

4U _ _ 6 _ _ - E/N

Height and inclination adjustable
headrest

(Headrest to assemble)

4U P _ _ _ _ - E/N





Polished aluminium seat/back
connection

4U _ _ _ 4 _ _ - E/N

Polished aluminium base

4U _ _ _ _ 1 _ - E/N

Poros Light

Dimensions	Details / Box	Code	Class	€
	Synchronized device with 4-position adjustment Depth adjustment for seat Gas lift Nylon 5-spoke base Without armrests KG. 20,0 M³. 0,25 (Product to assemble) MTL. 0,8-1,4	4R77M301 Backrest upholstered in bonded, thermoformed fabric	B033 B010	
	Synchronized device with 4-position adjustment Depth adjustment for seat Gas lift Nylon 5-spoke base Height adjustable armrests KG. 21,0 M³. 0,25 (Product to assemble) MTL. 0,8-1,4	4R7RM301 Backrest upholstered in bonded, thermoformed fabric	B033 B010	
	Synchronized device with 4-position adjustment Depth adjustment for seat Gas lift Nylon 5-spoke base Fixed armrests KG. 23,0 M³. 0,25 (Product to assemble) MTL. 0,8-1,4	4R7YM301 Backrest upholstered in bonded, thermoformed fabric	B033 B010	
	Synchronized device with 4-position adjustment Depth adjustment for seat Gas lift Nylon 5-spoke base 2D adjustable armrests KG. 23,0 M³. 0,25 (Product to assemble) MTL. 0,8-1,4	4R7KM301 Backrest upholstered in bonded, thermoformed fabric	B033 B010	

EXTRA CHARGE:

Synchronized device with 5-position
adjustment

4R _ _ **6** _ _

Height and inclination adjustable
headrest
(Headrest to assemble)

4R **P** _ _ _ _

Polished aluminium seat/back
connection

4R _ _ _ **4** _ _

Polished aluminium base

4R _ _ _ _ **1** _